

## **PRODUCT INFORMATION SHEET**

Mouse Monoclonal Antibody to C-Kit								
	Format: PURE	RUO	REF	IQP-1104P	Volume:	0.1ml		
Ĩ	Description							
Clone	8D7							
[sotype	Mouse IgG1							
Specificity	C-Kit							
Alternative names	PBT; SCFR; C-Kit; CD117; KIT							
Species	Human							
Immunogen	Purified recombinant fragment of C-kit expressed in E. Coli.							
Mw	145kDa							
Format	Ascitic fluid containing 0.03% sodium azide.							
Summary	C-kit (CD117, 145kDa) functions as a tyrosine kinase receptor which becomes activated upon binding of its ligand SCF (stem-cell factor), the C-kit gene encodes the human homolog of the proto-oncogene c-kit. which was first identified as the cellular homolog of the feline sarcoma viral oncogene v-kit. KIT is a type 3 transmembrane receptor for MGF (mast cell growth factor). Mutations in KIT are associated with gastrointestinal stromal tumors, mast cell disease, acute myelogenous lukemia, and piebaldism.							
Applications	Western Bloting: 1/500 - 1/2000.Immunohistochemistry: 1/200 - 1/1000.ELISA: Propose dilution 1/10000.Not yet tested in other applications.Determining optimal working dilutions by titration test.							
Limitations	<ol> <li>Conjugates with br those with dyes lik</li> </ol>	e FITC and CyQ	. When pop	ulations overlap,	the percentag			
	<ul> <li>using a selected marker can be affected by the choice of fluorescent label.</li> <li>Use of monoclonal antibodies in patient treatment can interfere with antigen target r by this reagent. This should be taken into account when samples are analyzed from treated in this fashion. IQ Products has not characterized the effect of the presence of therapeutic antibodies on the performance of this reagent.</li> <li>Reagents can be used in different combinations, therefore laboratories need to becom familiar performance characteristics of each antibody in relation with the combined m normal and abnormal samples.</li> </ul>							
	4. Reagent data perfo affected by the use	ormance is base		treated blood. Re	agent perform	ance can be		

# ⚠ 💩 🔏 🛣 🎴

## Handling and Storage

- Antibodies are supplied in 0.01 M sodium phosphate, 0.15 M NaCl; pH 7.3, 0.03% sodiumazide (NaN3) or as ascetic fluid containing 0.03% sodiumazide. Store the vials at 2-8 °C for a maximum of 2 weeks and store at -20°C for longer term storage. Monoclonal antibodies should be protected from prolonged exposure to light when conjugated with fluorochromes. Reagents are stable for the period shown on the vial label when stored properly.
- **Warranty** Products sold hereunder are warranted only to conform to the quantity and contents stated on the label at the time of delivery to the customer. There are no warranties, expressed or implied, which extend beyond the description on the label of the product. IQ Products is not liable for property damage, personal injury, or economic loss caused by the product.

#### Characterization

- To ensure consistently high-quality reagents, each batch of monoclonal antibody is tested for conformance with characteristics of a standard reagent. Representative flow cytometric data is included in this data sheet.
- **Warning** All products contain sodiumazide. This chemical is poisonous and hazardous. Handling should be done by trained staff only.

**References** 1. Mojica WD et.alHistopathology. 2005 Nov;47(5):517-22. 2. Tong WD et.alInt J Colorectal Dis. 2005 Jul;20(4):363-7. Epub 2005 Feb 2. 3. Nakai Y et.alBiochem Biophys Res Commun. 2005 Nov 11;337(1):289-96.

### **Explanation of used symbols**

•	
REF	Consult instructions for use
REF	Catalogue number
$\overline{\mathbb{V}}$	Sufficient for
Δ	Caution, consult accompanying document
*	Keep away from (sun)light
<b>&amp;</b>	Biological risks
X	Temperature limitation (°C)
RUO	For Research Use Only
LOT	Batch code Oriont Tiuorescence
2	Use by yyyy-mm-dd
	Manufacturer
ECREP	Authorized Representative in the European Community
CE	Conformité Européenne (European Conformity)
	conformate Europeanie (European conformacy)

		Label - tandem	Ex -max (nm)	Em -max (nm)
Р	PURE	purified material	-	-
F	FITC	FITC	488	519
R	R-PE	PE	488, 532	578
С	CyQ	PE-Cy5.18	488, 532	667
Α	APC		595, 633, 635, 647	660
PC	PerCP		488, 532	678
PCC	PerCP-Cy5.5		488, 532	695

#### IQ Products BV

Rozenburglaan 13a 9727 DL Groningen, The Netherlands

- +31 (0)50 57 57 000
- ∃ +31 (0)50 57 57 002
- Technical <u>marketing@iqproducts.nl</u>
- Orders <u>orders@iqproducts.nl</u>
- <u>www.iqproducts.nl</u>