

PRODUCT INFORMATION SHEET

Mouse Monoclonal Antibody to CD34							
	Format: PURE	RUO	REF	IQP-1108P	Volume:	0.1ml	
Ĩ	Description						
Clone	4H5E7, 9B10D4						
Isotype	Mouse IgG						
Specificity	CD34						
Alternative names	CD34						
Species	Human						
Immunogen	Purified recombinant fragment of CD34 expressed in E. Coli.						
٩w							
Format	Ascitic fluid containing 0.03% sodium azide.						
Summary	CD34 is a transmembrane glycoprotein with a molecular mass of approximately 110 kD that is selectively expressed on human hematopoietic progenitor cells, endothelial cells and some fibroblasts. It could act as a scaffold for the attachment of lineage specific glycans, allowing stem cells to bind to lectins expressed by stromal cells or other marrow components. CD34 is highly expressed on hematopoietic progenitors, as well as on endothelial cells. CD34 has been used to measure angiogenesis, which reportedly predicts tumor recurrence.						
Applications	Western Bloting: 1/500 - 1/2000.Immunohistochemistry: 1/200 - 1/1000.Immunofluorescence: 1/200 - 1/1000.ELISA: Propose dilution 1/10000.Not yet tested in other applications.Determining optimal working dilutions by titration test.						
Limitations	 Conjugates with b those with dyes lil 	righter fluorochr <e and="" cyq<="" fitc="" td=""><td>omes, like . When pop</td><td>PE and APC, will h pulations overlap,</td><td>nave a greater the percentag</td><td>separation than e of positive cells</td></e>	omes, like . When pop	PE and APC, will h pulations overlap,	nave a greater the percentag	separation than e of positive cells	
	using a selected marker can be affected by the choice of fluorescent laUse of monoclonal antibodies in patient treatment can interfere with a by this reagent. This should be taken into account when samples are						
	treated in this fashion. IQ Products has not characterized the effect of the pr therapeutic antibodies on the performance of this reagent.3. Reagents can be used in different combinations, therefore laboratories need familiar performance characteristics of each antibody in relation with the con						
	normal and abnormal samples.4. Reagent data performance is based on EDTA-treated blood. Reagent performance can be affected by the use of other anticoagulants.						

⚠ 💩 🔏 🛣 🗳

Handling and Storage

Antibodies are supplied in 0.01 M sodium phosphate, 0.15 M NaCl; pH 7.3, 0.03% sodiumazide (NaN3) or as ascetic fluid containing 0.03% sodiumazide. Store the vials at 2-8 °C for a maximum of 2 weeks and store at -20°C for longer term storage. Monoclonal antibodies should be protected from prolonged exposure to light when conjugated with fluorochromes. Reagents are stable for the period shown on the vial label when stored properly.

Warranty Products sold hereunder are warranted only to conform to the quantity and contents stated on the label at the time of delivery to the customer. There are no warranties, expressed or implied, which extend beyond the description on the label of the product. IQ Products is not liable for property damage, personal injury, or economic loss caused by the product.

Characterization

- To ensure consistently high-quality reagents, each batch of monoclonal antibody is tested for conformance with characteristics of a standard reagent. Representative flow cytometric data is included in this data sheet.
- **Warning** All products contain sodiumazide. This chemical is poisonous and hazardous. Handling should be done by trained staff only.

References 1. Sho E., et al. Arterioscler Thromb Vasc Biol. 2004: 24: 1916-21. 2. Satterthwaite, A.B., et al. Genomics.1992:12:788-794.

3. Krause, D.S., et al. 1994. Blood.84: 691-701.

Explanation of used symbols

	Consult instructions for use
REF	Catalogue number
V	Sufficient for
Δ	Caution, consult accompanying document
<u>米</u>	Keep away from (sun)light
&	Biological risks
X	Temperature limitation (°C)
RUO	For Research Use Only
LOT	Batch code Originat Tuorescence
Z	Use by yyyy-mm-dd
	Manufacturer
ECREP	Authorized Representative in the European Community
(6	Conformité Européenne (European Conformity)
	conformite Europeenne (European conformity)

		Label - tandem	Ex -max (nm)	Em -max (nm)
Р	PURE	purified material	-	-
F	FITC	FITC	488	519
R	R-PE	PE	488, 532	578
С	CyQ	PE-Cy5.18	488, 532	667
Α	APC		595, 633, 635, 647	660
PC	PerCP		488, 532	678
PCC	PerCP-Cy5.5		488, 532	695

IQ Products BV

Rozenburglaan 13a 9727 DL Groningen, The Netherlands

- +31 (0)50 57 57 000
- ∃ +31 (0)50 57 57 002
- Technical <u>marketing@iqproducts.nl</u>
- Orders <u>orders@iqproducts.nl</u>
- <u>www.iqproducts.nl</u>