

PRODUCT INFORMATION SHEET

Mouse Monoclonal Antibody to SRC

Format: PURE RUO REF IQP-1174P Volume: 0.1ml

Description

Clone 4F1E8

Isotype Mouse IgG2b

Specificity SRC

Alternative names

ASV; SRC1; c-SRC; p60-Src

Species Human

Immunogen Purified recombinant fragment of SRC (aa10-193) expressed in E. Coli.

Μw

Format Ascitic fluid containing 0.03% sodium azide.

Summary SRC: v

SRC: v-src sarcoma (Schmidt-Ruppin A-2) viral oncogene homolog (avian). This gene is highly similar to the v-src gene of Rous sarcoma virus. This proto-oncogene may play a role in the regulation of embryonic development and cell growth. The protein encoded by this gene is a tyrosine-protein kinase whose activity can be inhibited by phosphorylation by c-SRC kinase. Mutations in this gene could be involved in the malignant progression of colon cancer. Two transcript variants encoding the same protein have been found for this gene.

are summer variables encounting the sum of protein have been round for this gener

Applications Western Bloting: 1/500 - 1/2000.ELISA: Propose dilution 1/10000.Not yet tested in other

applications.Determining optimal working dilutions by titration test.

Limitations

- 1. Conjugates with brighter fluorochromes, like PE and APC, will have a greater separation than those with dyes like FITC and CyQ. When populations overlap, the percentage of positive cells using a selected marker can be affected by the choice of fluorescent label.
- Use of monoclonal antibodies in patient treatment can interfere with antigen target recognition by this reagent. This should be taken into account when samples are analyzed from patients treated in this fashion. IQ Products has not characterized the effect of the presence of therapeutic antibodies on the performance of this reagent.
- 3. Reagents can be used in different combinations, therefore laboratories need to become familiar performance characteristics of each antibody in relation with the combined markers in normal and abnormal samples.
- 4. Reagent data performance is based on EDTA-treated blood. Reagent performance can be affected by the use of other anticoagulants.

IOP-1174 - SRC Version 1

▲ ♦ 4 8

Handling and Storage

Antibodies are supplied in 0.01 M sodium phosphate, 0.15 M NaCl; pH 7.3, 0.03% sodiumazide (NaN3) or as ascetic fluid containing 0.03% sodiumazide. Store the vials at 2-8 °C for a maximum of 2 weeks and store at -20°C for longer term storage. Monoclonal antibodies should be protected from prolonged exposure to light when conjugated with fluorochromes. Reagents are stable for the period shown on the vial label when stored properly.

Warranty

Products sold hereunder are warranted only to conform to the quantity and contents stated on the label at the time of delivery to the customer. There are no warranties, expressed or implied, which extend beyond the description on the label of the product. IQ Products is not liable for property damage, personal injury, or economic loss caused by the product.

Characterization

To ensure consistently high-quality reagents, each batch of monoclonal antibody is tested for conformance with characteristics of a standard reagent. Representative flow cytometric data is included in this data sheet.

Warning

All products contain sodiumazide. This chemical is poisonous and hazardous. Handling should be done by trained staff only.

References 1. Pancreas. 2005 Oct;31(3):263-74.

- Clin Exp Metastasis. 2005;22(3):195-204.
 J Mol Biol. 2005 Oct 21;353(2):222-31.
- 4. J Cell Sci. 2006 Jan 1;119(Pt 1):47-55.

Explanation of used symbols

Consult instructions for use REF Catalogue number V Sufficient for \triangle Caution, consult accompanying document 巻 Keep away from (sun)light 8 Biological risks Temperature limitation (°C) RUO For Research Use Only LOT Batch code Use by yyyy-mm-dd

Manufacturer

right fluorescence

ducts



Authorized Representative in the European Community Conformité Européenne (European Conformity)

10 16101 400, 332 070	P F R C A	PURE FITC R-PE CyQ APC	Label - tandem purified material FITC PE PE-Cy5.18	Ex -max (nm) - 488 488, 532 488, 532 595, 633, 635, 647	Em -max (nm) - 519 578 667 660
PCC PerCP-Cy5.5 488, 532 695	PC PCC	PerCP PerCP-Cy5.5		488, 532 488, 532	678 695



IQ Products BV

Rozenburglaan 13a 9727 DL Groningen, The Netherlands

+31 (0)50 57 57 000 +31 (0)50 57 57 002 ļ

marketing@igproducts.nl M Technical Orders orders@igproducts.nl

www.iqproducts.nl

IQP-1174 - SRC Version 1