

## **PRODUCT INFORMATION SHEET**

## **Mouse Monoclonal Antibody to SNAI2**

Format: PURE RUO REF IQP-1390P Volume: 0.1ml

Description

Clone 2H5

Isotype Mouse IgG1
Specificity SNAI2

Alternative names

SLUG; WS2D; SLUGH1; MGC10182; SNAI2

Species Human

Immunogen Purified recombinant fragment of human SNAI2 expressed in E. Coli.

Mw 30kDa

Format Ascitic fluid containing 0.03% sodium azide.

**Summary** 

This gene encodes a member of the Snail family of C2H2-type zinc finger transcription factors. The encoded protein acts as a transcriptional repressor that binds to E-box motifs and is also likely to repress E-cadherin transcription in breast carcinoma. This protein is involved in epithelial-mesenchymal transitions and has antiapoptotic activity. The tumor suppressor protein p53 induces Slug expression in  $\gamma$ -irradiated cells; Slug protects damaged cells from apoptosis by repressing p53-induced transcription of the proapoptotic Bcl-2 family protein Puma. Mutations in this gene may be associated with sporatic cases of neural tube defects.

**Applications** 

Western Bloting: 1/500 - 1/2000.ELISA: Propose dilution 1/10000.Not yet tested in other applications.Determining optimal working dilutions by titration test.

### Limitations

- 1. Conjugates with brighter fluorochromes, like PE and APC, will have a greater separation than those with dyes like FITC and CyQ. When populations overlap, the percentage of positive cells using a selected marker can be affected by the choice of fluorescent label.
- Use of monoclonal antibodies in patient treatment can interfere with antigen target recognition by this reagent. This should be taken into account when samples are analyzed from patients treated in this fashion. IQ Products has not characterized the effect of the presence of therapeutic antibodies on the performance of this reagent.
- 3. Reagents can be used in different combinations, therefore laboratories need to become familiar performance characteristics of each antibody in relation with the combined markers in normal and abnormal samples.
- 4. Reagent data performance is based on EDTA-treated blood. Reagent performance can be affected by the use of other anticoagulants.

IQP-1390 – SNAI2 Version 1

# **▲ ♦ 4 8**

## **Handling and Storage**

Antibodies are supplied in 0.01 M sodium phosphate, 0.15 M NaCl; pH 7.3, 0.03% sodiumazide (NaN3) or as ascetic fluid containing 0.03% sodiumazide. Store the vials at 2-8 °C for a maximum of 2 weeks and store at -20°C for longer term storage. Monoclonal antibodies should be protected from prolonged exposure to light when conjugated with fluorochromes. Reagents are stable for the period shown on the vial label when stored properly.

#### Warranty

Products sold hereunder are warranted only to conform to the quantity and contents stated on the label at the time of delivery to the customer. There are no warranties, expressed or implied, which extend beyond the description on the label of the product. IQ Products is not liable for property damage, personal injury, or economic loss caused by the product.

## Characterization

To ensure consistently high-quality reagents, each batch of monoclonal antibody is tested for conformance with characteristics of a standard reagent. Representative flow cytometric data is included in this data sheet.

#### Warning

All products contain sodiumazide. This chemical is poisonous and hazardous. Handling should be done by trained staff only.

**References** 1. Biochem J. 2008 Dec 1;416(2):179-87.

2. Mol Biol Cell. 2008 Nov;19(11):4875-87. 3. Am J Pathol. 2009 Jun;174(6):2107-15.

## **Explanation of used symbols**



Ti Consult instructions for use REF Catalogue number Sufficient for  $\triangle$ Caution, consult accompanying document

\* Keep away from (sun)light 8 Biological risks

Temperature limitation (°C)

For Research Use Only

Batch code Use by yyyy-mm-dd

t fluorescer Manufacturer Authorized Representative in the European Community

Conformité Européenne (European Conformity)

	EC	REP
(	€	

RUO

LOT

		Label - tandem	Ex -max (nm)	Em -max (nm)	
	PURE	purified material	-	-	
	FITC	FITC	488	519	
	R-PE	PE	488, 532	578	
	CyO	PE-Cy5.18	488, 532	667	
	APC	•	595, 633, 635, 647	660	
	PerCP		488, 532	678	
С	PerCP-Cv5.5		488, 532	695	

F R С Α PC

**IQ Products BV** 

Rozenburglaan 13a 9727 DL Groningen, The Netherlands

+31 (0)50 57 57 000 +31 (0)50 57 57 002

Technical marketing@igproducts.nl Orders orders@igproducts.nl

www.igproducts.nl

IQP-1390 - SNAI2 Version 1