

PRODUCT INFORMATION SHEET

Mouse Monoclonal Antibody to CCNB1

Format: PURE RUO REF IQP-1484P Volume: 0.1ml

Description

Clone 1B10

Isotype Mouse IgG1
Specificity CCNB1

Alternative names

CCNB; CCNB1

Species Human

Immunogen Purified recombinant fragment of human CCNB1 expressed in E. Coli.

Mw 60kDa

Format Ascitic fluid containing 0.03% sodium azide.

Summary

The protein encoded by this gene is a regulatory protein involved in mitosis. The gene product complexes with p34(cdc2) to form the maturation-promoting factor (MPF). Two alternative transcripts have been found, a constitutively expressed transcript and a cell cycle-regulated transcript, that is expressed predominantly during G2/M phase. The different transcripts result from the use of alternate transcription initiation sites. (provided by RefSeq) It has higher expression in tumor tissues .

Applications

Western Bloting: 1/500 - 1/2000.Immunohistochemistry: 1/200 - 1/1000.ELISA: Propose dilution 1/10000.Not yet tested in other applications.Determining optimal working dilutions by titration test.

Limitations

- 1. Conjugates with brighter fluorochromes, like PE and APC, will have a greater separation than those with dyes like FITC and CyQ. When populations overlap, the percentage of positive cells using a selected marker can be affected by the choice of fluorescent label.
- Use of monoclonal antibodies in patient treatment can interfere with antigen target recognition by this reagent. This should be taken into account when samples are analyzed from patients treated in this fashion. IQ Products has not characterized the effect of the presence of therapeutic antibodies on the performance of this reagent.
- Reagents can be used in different combinations, therefore laboratories need to become familiar performance characteristics of each antibody in relation with the combined markers in normal and abnormal samples.
- 4. Reagent data performance is based on EDTA-treated blood. Reagent performance can be affected by the use of other anticoagulants.

IQP-1484 – CCNB1 Version 1

△ ♦ / * □

Handling and Storage

Antibodies are supplied in 0.01 M sodium phosphate, 0.15 M NaCl; pH 7.3, 0.03% sodiumazide (NaN3) or as ascetic fluid containing 0.03% sodiumazide. Store the vials at 2-8 °C for a maximum of 2 weeks and store at -20°C for longer term storage. Monoclonal antibodies should be protected from prolonged exposure to light when conjugated with fluorochromes. Reagents are stable for the period shown on the vial label when stored properly.

Warranty

Products sold hereunder are warranted only to conform to the quantity and contents stated on the label at the time of delivery to the customer. There are no warranties, expressed or implied, which extend beyond the description on the label of the product. IO Products is not liable for property damage, personal injury, or economic loss caused by the product.

Characterization

To ensure consistently high-quality reagents, each batch of monoclonal antibody is tested for conformance with characteristics of a standard reagent. Representative flow cytometric data is included in this data sheet.

Warning

All products contain sodiumazide. This chemical is poisonous and hazardous. Handling should be done by trained staff only.

References 1. Oncol Rep. 2009 Oct;22(4):745-55.

- 2. Cancer Biol Ther. 2009 Dec;8(24):2374-83.
- 3. Cytokine. 2010 Apr;50(1):42-9.

Explanation of used symbols

| Tîi . | Consult instructions for use | | | | |
|-------------|---|--|--|--|--|
| REF | Catalogue number | | | | |
| ₹ / | Sufficient for | | | | |
| \triangle | Caution, consult accompanying document | | | | |
| * | Keep away from (sun)light | | | | |
| ፟ | Biological risks | | | | |
| * | Temperature limitation (°C) | | | | |
| RUO LOT | For Research Use Only | | | | |
| LOT | Batch code OFIGINE TUDIESCENCE | | | | |
| \square | Use by yyyy-mm-dd | | | | |
| *** | Manufacturer | | | | |
| EC REP | Authorized Representative in the European Community | | | | |
| (€ | Conformité Européenne (European Conformity) | | | | |

| P F | PURE FITC | Label - tandem purified material FITC | Ex -max (nm) - 488 | Em -max (nm) - 519 |
|--------|--------------|--|--------------------------|---------------------------------|
| R | R-PE | PE | 488, 532 | 578 |
| С | CyQ | PE-Cy5.18 | 488, 532 | 667 |
| Α | APC | | 595, 633, 635, 647 | 660 |
| PC | PerCP | | 488, 532 | 678 |
| PCC | PerCP-Cy5.5 | | 488, 532 | 695 |



IQ Products BV

Rozenburglaan 13a 9727 DL Groningen, The Netherlands

+31 (0)50 57 57 000 +31 (0)50 57 57 002

1 Technical marketing@igproducts.nl Orders orders@igproducts.nl

Conformité Européenne (European Conformity)

www.iqproducts.nl

IQP-1484 - CCNB1 Version 1