

PRODUCT INFORMATION SHEET

Mouse Monoclonal Antibody to SCGB2A2

Format: PURE RUO REF IQP-1494P Volume: 0.1ml

Description \prod i

Clone 3C8

Mouse IgG1 **Isotype Specificity** SCGB2A2

Alternative names

MGB1; UGB2; MGC71974; SCGB2A2

Species Human

Immunogen

Purified recombinant fragment of human SCGB2A2 expressed in E. Coli.

Mw 11kDa

Format Ascitic fluid containing 0.03% sodium azide.

Summary

Mammaglobin is a gene that is expressed almost exclusively in the normal breast epithelium and human breast cancer. It is a member of the secretoglobin gene family and forms a heterodimer with lipophilin B. It has been suggested that mammaglobin may be a useful marker for breast cancer clinical research. Studies investigating the detection of mRNA by RT PCR from circulating carcinoma cells in the peripheral blood of breast cancer patients have shown that mammaglobin is a highly specific marker and correlates with several prognostic factors, such as lymph node involvement. Tissue specificity: Mammary gland specific. Over-expressed in breast cancer.

Applications Western Bloting: 1/500 - 1/2000.Immunohistochemistry: 1/200 - 1/1000.Immunofluorescence: 1/200 - 1/1000. Flow cytometry: 1/200 - 1/400. ELISA: Propose dilution 1/10000. Not yet tested in other applications. Determining optimal working dilutions by titration test.

Limitations

- 1. Conjugates with brighter fluorochromes, like PE and APC, will have a greater separation than those with dyes like FITC and CyQ. When populations overlap, the percentage of positive cells using a selected marker can be affected by the choice of fluorescent label.
- 2. Use of monoclonal antibodies in patient treatment can interfere with antigen target recognition by this reagent. This should be taken into account when samples are analyzed from patients treated in this fashion. IQ Products has not characterized the effect of the presence of therapeutic antibodies on the performance of this reagent.
- 3. Reagents can be used in different combinations, therefore laboratories need to become familiar performance characteristics of each antibody in relation with the combined markers in normal and abnormal samples.
- 4. Reagent data performance is based on EDTA-treated blood. Reagent performance can be affected by the use of other anticoagulants.

IQP-1494 - SCGB2A2 Version 1

△ ♦ / * □

Handling and Storage

Antibodies are supplied in 0.01 M sodium phosphate, 0.15 M NaCl; pH 7.3, 0.03% sodiumazide (NaN3) or as ascetic fluid containing 0.03% sodiumazide. Store the vials at 2-8 °C for a maximum of 2 weeks and store at -20°C for longer term storage. Monoclonal antibodies should be protected from prolonged exposure to light when conjugated with fluorochromes. Reagents are stable for the period shown on the vial label when stored properly.

Warranty

Products sold hereunder are warranted only to conform to the quantity and contents stated on the label at the time of delivery to the customer. There are no warranties, expressed or implied, which extend beyond the description on the label of the product. IQ Products is not liable for property damage, personal injury, or economic loss caused by the product.

Characterization

To ensure consistently high-quality reagents, each batch of monoclonal antibody is tested for conformance with characteristics of a standard reagent. Representative flow cytometric data is included in this data sheet.

Warning

All products contain sodiumazide. This chemical is poisonous and hazardous. Handling should be done by trained staff only.

References 1. Ann Oncol. 2006 Jun;17 Suppl 7:vii41-5. 2. Mod Pathol. 2007 Feb;20(2):208-14.

Explanation of used symbols

Consult instructions for use

REF

Catalogue number

Sufficient for

Caution, consult accompanying document

Keep away from (sun)light

Keep away from (sun)light

Biological risks

Temperature limitation (°C) For Research Use Only

RUO For Research L LOT Batch code

Use by yyyy-mm-dd Manufacturer

> Authorized Representative in the European Community Conformité Européenne (European Conformity)

P F R C A PC	PURE FITC R-PE CyQ APC PerCP	Label - tandem purified material FITC PE PE-Cy5.18	Ex -max (nm) - 488 488, 532 488, 532 595, 633, 635, 647 488, 532	Em -max (nm) - 519 578 667 660 678
PCC	PerCP-Cy5.5		488, 532	695



EC REP

IQ Products BV

Rozenburglaan 13a 9727 DL Groningen, The Netherlands

** +31 (0)50 57 57 000 ** +31 (0)50 57 57 002

✓ Technical marketing@iqproducts.nl✓ Orders orders@iqproducts.nl

<u>www.iqproducts.nl</u>

IQP-1494 – SCGB2A2 Version 1