

PRODUCT INFORMATION SHEET

Mouse Mo	noclonal Antiboo	ly to TNNI2						
	Format: PURE	RUO	REF	IQP-1644P	Volume:	0.1ml		
Ĩ	Description							
Clone	2F12A11							
sotype	Mouse IgG1							
Specificity	TNNI2							
Alternative names	DA2B; FSSV; fsTnI; AMCD2B							
Species	Human							
Immunogen	Purified recombinant fragment of human TNNI2 expressed in E. Coli.							
Mw	21kDa							
Format	Ascitic fluid containing 0.03% sodium azide.							
	and a component of the troponin complex including troponin T, troponin C and troponin I subunit The troponin complex, along with tropomyosin, is responsible for the calcium-dependent regulation of striated muscle contraction. Mouse studies show that this component is also present in vascular smooth muscle and may play a role in regulation of smooth muscle function. In addition to muscle tissues, this protein is found in corneal epithelium, cartilage where it is an inhibitor of angiogenesis to inhibit tumor growth and metastasis, and mammary gland where it functions as a co-activator of estrogen receptor-related receptor alpha. This protein also suppresses tumor growth in human ovarian carcinoma. Mutations in this gene cause myopathy and distal arthrogryposis type 2B. Alternatively spliced transcript variants have been found for th gene.							
Applications	Western Bloting: 1/500 - 1/2000.Immunohistochemistry: 1/200 - 1/1000.Flow cytometry: 1/200 1/400.ELISA: Propose dilution 1/10000.Not yet tested in other applications.Determining optimal working dilutions by titration test.							
Limitations						ence		
	 Conjugates with I those with dyes I using a selected in Use of monoclona by this reagent. T treated in this fas therapeutic antib Reagents can be familiar performa normal and abno Reagent data per affected by the u 	ike FITC and CyQ marker can be aff al antibodies in pa This should be tak shion. IQ Products odies on the perfo used in different ince characteristic rmal samples. formance is base	When pop ected by the atient treatrisen into accoss has not chormance of combination to on bination to on EDTA-	ulations overlap, ne choice of fluore ment can interfere count when sampl maracterized the e this reagent. ns, therefore labo ntibody in relation	the percentag scent label. e with antigen es are analyze ffect of the pro- ratories need n with the com	e of positive cell target recognition of from patients esence of to become abined markers i		

⚠ & 🔏 🔏 🛣

Handling and Storage

- Antibodies are supplied in 0.01 M sodium phosphate, 0.15 M NaCl; pH 7.3, 0.03% sodiumazide (NaN3) or as ascetic fluid containing 0.03% sodiumazide. Store the vials at 2-8 °C for a maximum of 2 weeks and store at -20°C for longer term storage. Monoclonal antibodies should be protected from prolonged exposure to light when conjugated with fluorochromes. Reagents are stable for the period shown on the vial label when stored properly.
- **Warranty** Products sold hereunder are warranted only to conform to the quantity and contents stated on the label at the time of delivery to the customer. There are no warranties, expressed or implied, which extend beyond the description on the label of the product. IQ Products is not liable for property damage, personal injury, or economic loss caused by the product.

Characterization

- To ensure consistently high-quality reagents, each batch of monoclonal antibody is tested for conformance with characteristics of a standard reagent. Representative flow cytometric data is included in this data sheet.
- **Warning** All products contain sodiumazide. This chemical is poisonous and hazardous. Handling should be done by trained staff only.

References 1. Am J Hum Genet. 2009 Nov;85(5):628-42. 2. Cell Motil Cytoskeleton. 2008 Aug;65(8):652-61.

Explanation of used symbols

Ţ.	Consult instructions for use
REF ▼	Catalogue number
V	Sufficient for
	Caution, consult accompanying document
类	Keep away from (sun)light
æ 🖌	Biological risks
1	Temperature limitation (°C)
RUO	For Research Use Only
LOT	Batch code
	Use by yyyy-mm-dd Orioint Tujorescence
	Manufacturer
EC REP	Authorized Representative in the European Community
CE	Conformité Européenne (European Conformity)

P F R C A PC	PURE FITC R-PE CyQ APC PerCP	Label - tandem purified material FITC PE PE-Cy5.18	Ex -max (nm) - 488 488, 532 488, 532 595, 633, 635, 647 488, 532	Em -max (nm) - 519 578 667 660 678
PCC	PerCP-Cy5.5		488, 532	695

IQ Products BV

Rozenburglaan 13a 9727 DL Groningen, The Netherlands

- +31 (0)50 57 57 000
- ∃ +31 (0)50 57 57 002
- Technical <u>marketing@iqproducts.nl</u>
- Orders <u>orders@iqproducts.nl</u>
- <u>www.iqproducts.nl</u>