

PRODUCT INFORMATION SHEET

	Format: PURE	RUO	REF	IQP-1810P	QTY	0.1mg		
<u>í</u>	Description							
Clone	7C5H12							
sotype	Mouse IgG1							
pecificity	SPP1							
Alternative names	OPN; BNSP; BSPI; ETA-1							
Species	Human							
[mmunogen	Purified recombinant fragment of human SPP1 (AA: 167-314) expressed in E. Coli.							
Чw	35.4kDa							
Format	Purified antibody in PBS with 0.05% sodium azide and 0.5% protein stabilizer							
Summary	The protein encoded by this gene is involved in the attachment of osteoclasts to the mineralize bone matrix. The encoded protein is secreted and binds hydroxyapatite with high affinity. Th osteoclast vitronectin receptor is found in the cell membrane and may be involved in the bindin to this protein. This protein is also a cytokine that upregulates expression of interferon-gamm and interleukin-12. Several transcript variants encoding different isoforms have been found for this gene.							
Applications	ELISA: 1/10000; WB:	: 1/500 - 1/2000	; IHC: 1/20	0 - 1/1000; ICC: 1	/200 - 1/100	0.		
Limitations	 Conjugates with brighter fluorochromes, like PE and APC, will have a greater those with dyes like FITC and CyQ. When populations overlap, the percentage using a selected marker can be affected by the choice of fluorescent label. Use of monoclonal antibodies in patient treatment can interfere with antigen ta by this reagent. This should be taken into account when samples are analyze treated in this fashion. IQ Products has not characterized the effect of t therapeutic antibodies on the performance of this reagent. Reagents can be used in different combinations, therefore laboratories no familiar performance characteristics of each antibody in relation with the comb normal and abnormal samples. 							
	 Reagent data performance is based on EDTA-treated blood. Reagent performance c affected by the use of other anticoagulants. 							

Store the vials at 2-8°C for a maximum of 2 weeks and store at -20°C for longer term storage. Monoclonal antibodies should be protected from prolonged exposure to light when conjugated with fluorochromes. Reagents are stable for the period shown on the vial label when stored properly.

Warranty Products sold hereunder are warranted only to conform to the quantity and contents stated on the label at the time of delivery to the customer. There are no warranties, expressed or implied, which extend beyond the description on the label of the product. IQ Products is not liable for property damage, personal injury, or economic loss caused by the product.

Characterization

To ensure consistently high-quality reagents, each batch of monoclonal antibody is tested for conformance with characteristics of a standard reagent.

Warning All products contain sodium azide. This chemical is poisonous and hazardous. Handling should be done by trained staff only.

References

1.Blood. 2012 May 31;119(22):5215-20. 2.J Cancer Res Ther. 2011 Apr-Jun;7(2):138-42.

Explanation of used symbols

	Consult instructions for use
REF	Catalogue number
$\mathbf{\nabla}$	Sufficient for
\triangle	Caution, consult accompanying document
豢	Keep away from (sun)light
®	Biological risks
*	Temperature limitation (°C)
RUO	For Research Use Only
LOT	Batch code
	Use by yyyy-mm-dd
	Manufacturer
	(R

		Label - tandem	Ex -max (nm)	Em -max (nm)
Р	PURE	purified material		-
F	FITC	FITC	488	519
R	R-PE	PE	488, 532	578
C	CyQ	PE-Cy5.18	488, 532	667
Α	APC		595, 633, 635, 647	660
PC	PerCP		488, 532	678
PCC	PerCP-Cy5.5		488, 532	695
		bria	ht fluor	escence

IQ Products BV Rozenburglaan 13a 9727 DL Groningen, The Netherlands

- # +31 (0)50 57 57 000
- ∃ +31 (0)50 57 57 002
- Technical <u>marketing@iqproducts.nl</u>
- Orders <u>orders@iqproducts.nl</u>
- <u>www.iqproducts.nl</u>