

PRODUCT INFORMATION SHEET

Mouse Monoclonal Antibody to NT5E

Format: PURE RUO REF IQP-1850P Quantity: 0.1mg

Description

Clone 4G6B10

Isotype Mouse IgG1

Specificity NT5E

Alternative names

NT; eN; NT5; NTE; eNT; CD73; E5NT; CALJA

Species Human

Immunogen Purified recombinant fragment of human NT5E (AA: 30-250) expressed in E. Coli.

Mw 63.4kDa

Format Purified antibody in PBS with 0.05% sodium azide.

The protein encoded by this gene is a plasma membrane protein that catalyzes the conversion of extracellular nucleotides to membrane-permeable nucleosides. The encoded protein is used as a determinant of lymphocyte differentiation. Defects in this gene can lead to the calcification of joints and arteries. Two transcript variants encoding different isoforms have been found for this

gene.

Applications ELISA: 1/10000; WB: 1/500 - 1/2000; IHC: 1/200 - 1/1000

Limitations

Summary

- 1. Conjugates with brighter fluorochromes, like PE and APC, will have a greater separation than those with dyes like FITC and CyQ. When populations overlap, the percentage of positive cells using a selected marker can be affected by the choice of fluorescent label.
- Use of monoclonal antibodies in patient treatment can interfere with antigen target recognition by this reagent. This should be taken into account when samples are analyzed from patients treated in this fashion. IQ Products has not characterized the effect of the presence of therapeutic antibodies on the performance of this reagent.
- 3. Reagents can be used in different combinations, therefore laboratories need to become familiar performance characteristics of each antibody in relation with the combined markers in normal and abnormal samples.
- 4. Reagent data performance is based on EDTA-treated blood. Reagent performance can be affected by the use of other anticoagulants.

△ ♦ / * □

Handling and Storage

Store the vials at 2-8 °C for a maximum of 2 weeks and store at -20°C for longer term storage. Monoclonal antibodies should be protected from prolonged exposure to light when conjugated with fluorochromes. Reagents are stable for the period shown on the vial label when stored properly.

Warranty

Products sold hereunder are warranted only to conform to the quantity and contents stated on the label at the time of delivery to the customer. There are no warranties, expressed or implied, which extend beyond the description on the label of the product. IQ Products is not liable for property damage, personal injury, or economic loss caused by the product.

IQP-1850 - NT5E Version 1

Characterization

To ensure consistently high-quality reagents, each batch of monoclonal antibody is tested for conformance with characteristics of a standard reagent.

Warning

All products contain sodiumazide. This chemical is poisonous and hazardous. Handling should be done by trained staff only.

References

1.Appl Immunohistochem Mol Morphol. 2012 Mar;20(2):103-7.

2.J Surg Oncol. 2012 Aug 1;106(2):130-7.

Explanation of used symbols



| | | Label - tandem | Ex -max (nm) | Em -max (nm) |
|-----|-------------|-------------------|--------------------|--------------|
| Р | PURE | purified material | | |
| F | FITC | FITC | 488 | 519 |
| R | R-PE | PE | 488, 532 | 578 |
| С | CyQ | PE-Cy5.18 | 488, 532 | 667 |
| Α | APC | | 595, 633, 635, 647 | 660 |
| PC | PerCP | | 488, 532 | 678 |
| PCC | PerCP-Cy5.5 | brio | 488, 532 | 695 |
| | | \mathcal{O} | | COUCHICE |



IQ Products BV

Rozenburglaan 13a 9727 DL Groningen, The Netherlands

∄ +31 (0)50 57 57 002

Technical marketing@igproducts.nlOrders orders@igproducts.nl

<u>www.igproducts.nl</u>

IQP-1850 - NT5E Version 1